


WHAT IS CLAIMED IS:

1. The compound of Formula I:



wherein:

A is a 5- or 6-member ring substituent selected from partially saturated or unsaturated heterocyclic and carbocyclic rings;

X is fluoro;

n is an integer greater than or equal to 2;

R¹ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C₁₋₂-alkyl, C₁₋₂-haloalkyl, cyano, carboxyl, C₁₋₂-alkoxycarbonyl, hydroxyl, C₁₋₂-hydroxyalkyl, C₁₋₂-haloalkoxy, amino, C₁₋₂-alkylamino, phenylamino, nitro, C₁₋₂-alkoxy-C₁₋₂-alkyl, C₁₋₂-alkylsulfinyl, halo, C₁₋₂-alkoxy and C₁₋₃-alkylthio;

R² is alkyl or amino; and

R³ represents one or more radicals selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, heterocycloxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C₁₋₃-haloalkyl, heterocyclyl, cycloalkenyl, phenyl-C₁₋₃-alkyl, heterocyclyl-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl, phenylthio-C₁₋₃-alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxyalkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-arylamino, N-aralkylamino, N-(C₁₋₃-alkyl)-N-aralkylamino, N-(C₁₋₃-alkyl)-N-arylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylaminoalkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylaminoalkyl, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-

25 alkyl)amino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl;

or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

2. The compound of Claim 1 wherein:

R^2 is methyl or amino; and

R^3 represents one or more radicals selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, (5- or 6-member ring heterocycl)oxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, C_{1-3} -alkylcarbonyl, C_{3-6} -cycloalkyl, phenyl, C_{1-3} -haloalkyl, 5- or 6-member ring heterocycl, C_{3-6} -cycloalkenyl, phenyl- C_{1-3} -alkyl, (5- or 6-member ring heterocycl)- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxy- C_{1-3} -alkyl, C_{1-3} -alkoxyphenyl- C_{1-3} -alkoxy- C_{1-3} -alkyl, C_{1-3} -alkoxycarbonyl- C_{1-3} -alkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-phenylamino, N-(phenyl- C_{1-3} -alkyl)amino, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino, N-(C_{1-3} -alkyl)-N-phenylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylamino- C_{1-3} -alkyl, N-phenylamino- C_{1-3} -alkyl, N-phenyl- C_{1-3} -alkylamino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenyl- C_{1-3} -alkylamino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenyl- C_{1-3} -alkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl;

10 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

3. The compound of Claim 2 wherein A is a 5- or 6-member ring substituent selected from partially saturated or unsaturated heterocyclic rings.

4. The compound of Claim 2 wherein A is a 5- or 6-member ring substituent selected from partially saturated or unsaturated carbocyclic rings.

5. The compound of Claim 2 wherein A is a radical selected from thienyl, furyl,

furanone, thiazolyl, oxothiazolyl, thioxothiazolyl, imidazolyl, benzofuryl, indenyl, benzothienyl, isoxazolyl, oxooxazolyl, pyrazolyl, cyclopentenyl, cyclopentadienyl, benzindazolyl, benzopyranopyrazolyl, phenyl, and pyridyl.

6. The compound of Claim 2 wherein A is a radical selected from thienyl, furyl, furanone, thiazolyl, oxothiazolyl, thioxothiazolyl, imidazolyl, benzofuryl, indenyl, benzothienyl, isoxazolyl, pyrazolyl, cyclopentenyl, cyclopentadienyl, benzindazolyl, benzopyranopyrazolyl, phenyl, and pyridyl.

7. The compound of Claim 2 wherein A is a radical selected from thienyl, furanone, isoxazolyl, pyrazolyl, cyclopentenyl and pyridinyl.

8. The compound of Claim 2 wherein A is a radical selected from furanone, isoxazolyl, and pyrazolyl.

9. The compound of Claim 6 wherein R¹ is optionally substituted cyclohexyl.

10. The compound of Claim 6 wherein R¹ is optionally substituted pyridinyl.

11. The compound of Claim 6 wherein R¹ is optionally substituted phenyl.

12. The compound of Claim 6 wherein R¹ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.

13. The compound of Claim 6 wherein R³ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl,

methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

14. The compound of Claim 6 wherein

R^1 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R^3 is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

15. The compound of Claim 6 wherein

R^1 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, $C_{1,2}$ -haloalkyl, $C_{1,2}$ -alkoxy, and $C_{1,2}$ -haloalkoxy; and


5 R^3 is a radical selected from hydrido, C_{1-2} -alkyl, C_{1-3} -alkoxy, C_{1-3} -alkylcarbonyl, C_{1-3} -haloalkyl, C_{1-3} -hydroxyalkyl, and C_{1-3} -alkoxycarbonyl.

16. The compound of Claim 15 wherein

R^1 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, and methoxy; and

5 R^3 is a radical selected from hydrido, methyl, methoxy, methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.

17. The compound of Claim 1 having Formula II:



II

wherein:

X is fluoro;

n is an integer greater than or equal to 2;

5 R^4 is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl, C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;

10 R^5 is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl, heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl,

15

N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-arylamino, N-aralkylamino, N-(C₁₋₃-alkyl)-N-aralkylamino, N-(C₁₋₃-alkyl)-N-arylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylaminoalkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylaminoalkyl, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl; and

R⁶ is methyl or amino;

or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

18. The compound of Claim 17 wherein:

R⁵ is a radical selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, (5- or 6-member ring heterocyclyl)oxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, C₁₋₃-alkylcarbonyl, C₃₋₆-cycloalkyl, phenyl, C₁₋₃-haloalkyl, 5- or 6-member ring heterocyclyl, C₃₋₆-cycloalkenyl, phenyl-C₁₋₃-alkyl, (5- or 6-member ring heterocyclyl)-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl, phenylthio-C₁₋₃-alkyl, phenyloxy-C₁₋₃-alkyl, C₁₋₃-alkoxyphenyl-C₁₋₃-alkoxy-C₁₋₃-alkyl, C₁₋₃-alkoxycarbonyl-C₁₋₃-alkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-phenylamino, N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-phenylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl, phenyloxy, phenyl-C₁₋₃-alkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl;

or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

19. The compound of Claim 18 wherein R⁴ is optionally substituted cyclohexyl.

20. The compound of Claim 18 wherein R⁴ is optionally substituted pyridinyl.

21. The compound of Claim 18 wherein R⁴ is optionally substituted phenyl.

22. The compound of Claim 18 wherein R⁴ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.

23. The compound of Claim 18 wherein R⁵ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.


24. The compound of Claim 18 wherein:

R⁴ is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R⁵ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl,


- 15 phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

25. The compound of Claim 24 having Formula IIA:



wherein R^4 , R^5 and R^6 are as defined in Claim 24.

26. The compound of Claim 24 having Formula IIB:



wherein R^4 , R^5 and R^6 are as defined in Claim 24.

27. The compound of Claim 18 wherein:

R^4 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, C_{1-2} -haloalkyl, C_{1-2} -alkoxy, and C_{1-2} -haloalkoxy; and


5 R^5 is a radical selected from hydrido, C_{1-2} -alkyl, C_{1-3} -alkoxy, C_{1-3} -alkylcarbonyl, C_{1-3} -haloalkyl, C_{1-3} -hydroxyalkyl, and C_{1-3} -alkoxycarbonyl.

28. The compound of Claim 18 wherein

R^4 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, and methoxy; and


5 R^5 is a radical selected from hydrido, methyl, methoxy, methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.

29. The compound of Claim 1 having Formula IIC



or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

30. The compound of Claim 1 having Formula IID



or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

31. The compound of Claim 17 selected from compounds and their pharmaceutically-acceptable salts, tautomers and prodrugs thereof, of the group consisting of

5-phenyl-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

5-(3-chloro-5-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-

5 (trifluoromethyl)-1H-pyrazole;

5-(3,5-difluoro-5-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(3-chlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

10 5-(4-chlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(3-bromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(4-bromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

15 1H-pyrazole;

5-(3,5-difluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(4-fluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

- 20 5-(4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
5-(3-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
5-(3-bromo-5-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
25 (trifluoromethyl)-1H-pyrazole;
5-(3,4-dichlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(3,4-dibromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
30 5-(3,4-difluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(3,5-dichlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(3,5-dibromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
35 (trifluoromethyl)-1H-pyrazole;
5-(3,5-difluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(3-chloro-4-fluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
40 5-(3-chloro-4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(3-bromo-4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(3,5-difluoro-4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
45 (trifluoromethyl)-1H-pyrazole;
5-(3,4-dimethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(4-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
50 5-(3-methyl-4-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(4-methyl-3-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-

- (trifluoromethyl)-1H-pyrazole;
5-(4-methyl-3-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
- 55 (trifluoromethyl)-1H-pyrazole;
5-(3-cyano-4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(4-cyano-3-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
- 60 5-(3-cyanophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
5-(4-cyanophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
5-(3-chloro-4-methoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
- 65 (trifluoromethyl)-1H-pyrazole;
5-(4-chloro-3-methoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-6-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
- 70 5-(2-methylthiazol-4-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(4-methylthiazol-2-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
- 75 5-(2-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
- 80 5-(3-pyridinyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-
pyrazole;
5-(5-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
- 85 5-(2-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
3-cyclohexyl-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-
pyrazole;

- 3-cyclopentyl-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-phenyl-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-chlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
- 90 1H-pyrazole;
- 5-(4-chlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-bromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 95 5-(4-bromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-fluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 100 5-(4-fluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 105 5-(3-cyanophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(4-cyanophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 110 5-(3-trifluoromethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(4-trifluoromethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 115 5-(4-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3,4-dichlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

- 120 5-(3,4-dibromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,4-difluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,5-dichlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 125 5-(3,5-dibromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,5-difluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 130 5-(3,4-dimethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,5-dimethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-methyl-4-chlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 135 5-(4-methyl-3-chlorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-methyl-4-fluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-methyl-3-fluorophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 140 5-(3-methyl-4-bromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-methyl-3-bromophenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 145 5-(3-methyl-4-trifluoromethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-methyl-3-trifluoromethylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 150 5-(3-methyl-4-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-methyl-3-trifluoromethoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-

- (difluoromethyl)-1H-pyrazole;
5-(3-cyano-4-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 155 5-(4-cyano-3-methylphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-chloro-4-methoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-chloro-3-methoxyphenyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
- 160 (difluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-6-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(2-methylthiazol-4-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole; °
- 165 5-(4-methylthiazol-2-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
- 170 (difluoromethyl)-1H-pyrazole;
5-(3-pyridinyl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(5-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 175 5-(2-methylpyridin-3-yl)-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-cyclohexyl-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 180 5-cyclopentyl-1-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
1-phenyl-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(3-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(4-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

- 185 1H-pyrazole;
1-(3-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
1-(4-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
- 190 1-(3-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
1-(4-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
1-(3-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
- 195 1H-pyrazole;
1-(4-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
1-(3-cyanophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
- 200 1-(4-cyanophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-
1H-pyrazole;
1-(3-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
1-(4-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
- 205 (trifluoromethyl)-1H-pyrazole;
1-(3-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
1-(4-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
- 210 1-(3,4-dichlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
1-(3,4-dibromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;
1-(3,4-difluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
- 215 (trifluoromethyl)-1H-pyrazole;
1-(3,5-dichlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(trifluoromethyl)-1H-pyrazole;

- 1-(3,5-dibromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 220 1-(3,5-difluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3,4-dimethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 225 1-(3,5-dimethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 230 1-(3-methyl-4-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 235 1-(4-methyl-3-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 240 1-(4-methyl-3-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 245 1-(3-cyano-4-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(4-cyano-3-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 250 1-(3-chloro-4-methoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-

- (trifluoromethyl)-1H-pyrazole;
1-(4-chloro-3-methoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(2-methylpyridin-6-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
255 1-(2-methylthiazol-4-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(4-methylthiazol-2-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
260 1-(2-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(2-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
265 1-(3-pyridinyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(5-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-(2-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
270 1-cyclohexyl-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-cyclopentyl-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
1-phenyl-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
275 1-(3-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
1-(4-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
1-(3-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
280 1-(4-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
1-(3-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-

pyrazole;

285 1-(4-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(3-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

290 1-(4-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(3-cyanophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(4-cyanophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

295 1-(3-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(4-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

300 1-(3-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(4-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(3,4-dichlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

305 1-(3,4-dibromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(3,4-difluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

310 1-(3,5-dichlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(3,5-dibromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(3,5-difluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

315 1-(3,4-dimethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

- 1-(3,5-dimethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 320 1-(3-methyl-4-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-chlorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 325 1-(3-methyl-4-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-fluorophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 330 1-(4-methyl-3-bromophenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-trifluoromethylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 335 1-(3-methyl-4-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-trifluoromethoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(3-cyano-4-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 340 1-(4-cyano-3-methylphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(3-chloro-4-methoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 345 1-(4-chloro-3-methoxyphenyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 1-(2-methylpyridin-6-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

- 1-(2-methylthiazol-4-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
350 (difluoromethyl)-1H-pyrazole;
1-(4-methylthiazol-2-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(2-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
355 1-(2-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3-pyridinyl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
1-(5-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
360 (difluoromethyl)-1H-pyrazole;
1-(2-methylpyridin-3-yl)-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-cyclohexyl-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
365 1-cyclopentyl-5-[3,5-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
2,6-difluoro-4-[1-phenyl-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
2,6-difluoro-4-[1-(3-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;
370 2,6-difluoro-4-[1-(4-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;
2,6-difluoro-4-[1-(3-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;
375 2,6-difluoro-4-[1-(4-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;
2,6-difluoro-4-[1-(3-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;
2,6-difluoro-4-[1-(4-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;
380 2,6-difluoro-4-[1-(3-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-
yl]benzenesulfonamide;

2,6-difluoro-4-[1-(4-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

385 2,6-difluoro-4-[1-(3-cyanophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-cyanophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

390 2,6-difluoro-4-[1-(4-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

395 2,6-difluoro-4-[1-(4-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3,4-dichlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3,4-dibromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

400 2,6-difluoro-4-[1-(3,4-difluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3,5-dichlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

405 2,6-difluoro-4-[1-(3,5-dibromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3,5-difluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3,4-dimethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

410 2,6-difluoro-4-[1-(3,5-dimethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-methyl-4-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-methyl-3-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-

- 415 yl]benezenesulfonamide;
2,6-difluoro-4-[1-(3-methyl-4-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(4-methyl-3-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 420 2,6-difluoro-4-[1-(3-methyl-4-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(4-methyl-3-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 425 2,6-difluoro-4-[1-(3-methyl-4-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(4-methyl-3-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(3-methyl-4-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 430 2,6-difluoro-4-[1-(4-methyl-3-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(3-cyano-4-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(4-cyano-3-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 435 2,6-difluoro-4-[1-(3-chloro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(4-chloro-3-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 440 2,6-difluoro-4-[1-(2-methylpyridin-6-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(2-methylthiazol-4-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 445 2,6-difluoro-4-[1-(4-methylthiazol-2-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;

- 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 450 2,6-difluoro-4-[1-(3-pyridinyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(5-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 455 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-cyclohexyl-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-cyclopentyl-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 460 2,6-difluoro-4-[1-phenyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 465 2,6-difluoro-4-[1-(3-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 470 2,6-difluoro-4-[1-(3-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 475 2,6-difluoro-4-[1-(4-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-cyanophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 480 2,6-difluoro-4-[1-(4-cyanophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(4-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

485 2,6-difluoro-4-[1-(3-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(4-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

490 2,6-difluoro-4-[1-(3,4-dichlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(3,4-dibromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide

2,6-difluoro-4-[1-(3,4-difluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

495 2,6-difluoro-4-[1-(3,5-dichlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(3,5-dibromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

500 2,6-difluoro-4-[1-(3,5-difluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(3,4-dimethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(3,5-dimethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

505 2,6-difluoro-4-[1-(3-methyl-4-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(4-methyl-3-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

510 2,6-difluoro-4-[1-(3-methyl-4-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(4-methyl-3-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;

2,6-difluoro-4-[1-(3-methyl-4-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-

- yl]benezenesulfonamide;
- 515 2,6-difluoro-4-[1-(4-methyl-3-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-methyl-4-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-methyl-3-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 520 2,6-difluoro-4-[1-(3-methyl-4-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-methyl-3-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 525 2,6-difluoro-4-[1-(3-cyano-4-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-cyano-3-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-chloro-4-methoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 530 2,6-difluoro-4-[1-(4-chloro-3-methoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(2-methylpyridin-6-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 535 2,6-difluoro-4-[1-(2-methylthiazol-4-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-methylthiazol-2-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 540 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-pyridinyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(5-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 545 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-

yl]benezenesulfonamide;

2,6-difluoro-4-[1-cyclohexyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-cyclopentyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

550 2,6-difluoro-4-[1-phenyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

555 2,6-difluoro-4-[1-(3-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

560 2,6-difluoro-4-[1-(3-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

565 2,6-difluoro-4-[1-(4-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-cyanophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

570 2,6-difluoro-4-[1-(4-cyanophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

575 2,6-difluoro-4-[1-(3-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(4-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

2,6-difluoro-4-[1-(3,4-dichlorophenyl)-3-(trifluoro)-1H-pyrazol-5-

- 580 yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3,4-dibromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide
 2,6-difluoro-4-[1-(3,4-difluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
585 2,6-difluoro-4-[1-(3,5-dichlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3,5-dibromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3,5-difluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
590 yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3,4-dimethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3,5-dimethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
595 2,6-difluoro-4-[1-(3-methyl-4-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(4-methyl-3-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3-methyl-4-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
600 yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(4-methyl-3-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3-methyl-4-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
605 2,6-difluoro-4-[1-(4-methyl-3-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3-methyl-4-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(4-methyl-3-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
610 yl]benezenesulfonamide;
 2,6-difluoro-4-[1-(3-methyl-4-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

- 2,6-difluoro-4-[1-(4-methyl-3-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 615 2,6-difluoro-4-[1-(3-cyano-4-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-cyano-3-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 620 2,6-difluoro-4-[1-(3-chloro-4-methoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-chloro-3-methoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(2-methylpyridin-6-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 625 2,6-difluoro-4-[1-(2-methylthiazol-4-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(4-methylthiazol-2-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 630 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(3-pyridinyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-(5-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 635 2,6-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-cyclohexyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,6-difluoro-4-[1-cyclopentyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 640 5-phenyl-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(3-chloro-5-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(3,6-difluoro-5-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 645 5-(3-chlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(4-chlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(3-bromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

650 1H-pyrazole;

5-(4-bromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(3,6-difluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

655 5-(4-fluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

1H-pyrazole;

5-(3-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

660 1H-pyrazole;

5-(3-bromo-5-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(3,4-dichlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

665 5-(3,4-dibromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(3,4-difluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(3,5-dichlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

670 (trifluoromethyl)-1H-pyrazole;

5-(3,5-dibromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(3,6-difluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

675 5-(3-chloro-4-fluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

5-(3-chloro-4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(trifluoromethyl)-1H-pyrazole;

- 5-(3-bromo-4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 680 5-(3,6-difluoro-4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(3,4-dimethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 685 5-(4-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(3-methyl-4-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(4-methyl-3-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 690 5-(4-methyl-3-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(3-cyano-4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 695 5-(4-cyano-3-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(3-cyanophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(4-cyanophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 700 5-(3-chloro-4-methoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(4-chloro-3-methoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 705 5-(2-methylpyridin-6-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(2-methylthiazol-4-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 5-(4-methylthiazol-2-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 710 5-(2-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

- (trifluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
715 5-(3-pyridinyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
5-(5-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
5-(2-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
720 3-cyclohexyl-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
3-cyclopentyl-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
725 5-phenyl-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-chlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-chlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
730 5-(3-bromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-bromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-fluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
735 5-(4-fluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
740 5-(4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-cyanophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-cyanophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

- 745 pyrazole;
5-(3-trifluoromethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-trifluoromethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 750 5-(3-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,4-dichlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 755 5-(3,4-dibromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,4-difluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 760 5-(3,5-dichlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,5-dibromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,5-difluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 765 5-(3,4-dimethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3,5-dimethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 770 5-(3-methyl-4-chlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(4-methyl-3-chlorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
5-(3-methyl-4-fluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 775 5-(4-methyl-3-fluorophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

- 5-(3-methyl-4-bromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 780 5-(4-methyl-3-bromophenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-methyl-4-trifluoromethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 785 5-(4-methyl-3-trifluoromethylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-methyl-4-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(4-methyl-3-trifluoromethoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 790 5-(3-cyano-4-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(4-cyano-3-methylphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-chloro-4-methoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 795 5-(4-chloro-3-methoxyphenyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(2-methylpyridin-6-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 800 5-(2-methylthiazol-4-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(4-methylthiazol-2-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(2-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 805 5-(2-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 5-(3-pyridinyl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
- 810 5-(5-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(difluoromethyl)-1H-pyrazole;

5-(2-methylpyridin-3-yl)-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

(difluoromethyl)-1H-pyrazole;

5-cyclohexyl-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-

815 pyrazole;

5-cyclopentyl-1-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-phenyl-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-

820 1H-pyrazole;

1-(4-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

825 1-(4-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

830 1-(4-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(4-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

835 1-(3-cyanophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(4-cyanophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

840 (trifluoromethyl)-1H-pyrazole;

1-(4-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

- (trifluoromethyl)-1H-pyrazole;
- 845 1-(4-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3,4-dichlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3,4-dibromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
- 850 (trifluoromethyl)-1H-pyrazole;
- 1-(3,4-difluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3,5-dichlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 855 1-(3,5-dibromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3,5-difluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3,4-dimethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
- 860 (trifluoromethyl)-1H-pyrazole;
- 1-(3,5-dimethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 865 1-(4-methyl-3-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
- 870 (trifluoromethyl)-1H-pyrazole;
- 1-(3-methyl-4-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 1-(4-methyl-3-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;
- 875 1-(3-methyl-4-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(4-methyl-3-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

880 1-(3-methyl-4-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(4-methyl-3-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-cyano-4-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

885 1-(4-cyano-3-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-chloro-4-methoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

890 1-(4-chloro-3-methoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(2-methylpyridin-6-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(2-methylthiazol-4-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

895 1-(4-methylthiazol-2-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(2-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

900 1-(2-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(3-pyridinyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-(5-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

905 1-(2-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-cyclohexyl-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-pyrazole;

1-cyclopentyl-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(trifluoromethyl)-1H-

- 910 pyrazole;
1-phenyl-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;
1-(3-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
1H-pyrazole;
1-(4-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
915 1H-pyrazole;
1-(3-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
1H-pyrazole;
1-(4-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
1H-pyrazole;
920 1-(3-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
1-(4-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
1-(3-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
925 1H-pyrazole;
1-(4-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
1H-pyrazole;
1-(3-cyanophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
930 1-(4-cyanophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-
pyrazole;
1-(3-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(4-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
935 (difluoromethyl)-1H-pyrazole;
1-(3-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(4-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
940 1-(3,4-dichlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3,4-dibromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-

- (difluoromethyl)-1H-pyrazole;
1-(3,4-difluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
945 1H-pyrazole;
1-(3,5-dichlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3,5-dibromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
950 1-(3,5-difluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-
1H-pyrazole;
1-(3,4-dimethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3,5-dimethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
955 (difluoromethyl)-1H-pyrazole;
1-(3-methyl-4-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(4-methyl-3-chlorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
960 1-(3-methyl-4-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(4-methyl-3-fluorophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3-methyl-4-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
965 (difluoromethyl)-1H-pyrazole;
1-(4-methyl-3-bromophenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3-methyl-4-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
970 1-(4-methyl-3-trifluoromethylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(3-methyl-4-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
(difluoromethyl)-1H-pyrazole;
1-(4-methyl-3-trifluoromethoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-
975 (difluoromethyl)-1H-pyrazole;

1-(3-cyano-4-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(4-cyano-3-methylphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

980 1-(3-chloro-4-methoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(4-chloro-3-methoxyphenyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

985 1-(2-methylpyridin-6-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(2-methylthiazol-4-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(4-methylthiazol-2-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

990 1-(2-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(2-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

995 1-(3-pyridinyl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(5-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-(2-methylpyridin-3-yl)-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1000 1-cyclohexyl-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

1-cyclopentyl-5-[3,6-difluoro-4-(methylsulfonyl)phenyl]-3-(difluoromethyl)-1H-pyrazole;

2,5-difluoro-4-[1-phenyl-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;

1005 2,5-difluoro-4-[1-(3-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;

2,5-difluoro-4-[1-(4-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;

- 1010 2,5-difluoro-4-[1-(3-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(4-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1015 2,5-difluoro-4-[1-(4-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1020 2,5-difluoro-4-[1-(4-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3-cyanophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(4-cyanophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1025 2,5-difluoro-4-[1-(3-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(4-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1030 2,5-difluoro-4-[1-(4-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3,4-dichlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1035 2,5-difluoro-4-[1-(3,4-dibromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3,4-difluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(3,5-dichlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1040 2,5-difluoro-4-[1-(3,5-dibromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-

- yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3,5-difluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1045 2,5-difluoro-4-[1-(3,4-dimethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3,5-dimethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1050 2,5-difluoro-4-[1-(3-methyl-4-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-chlorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1055 2,5-difluoro-4-[1-(3-methyl-4-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-fluorophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1060 2,5-difluoro-4-[1-(3-methyl-4-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-bromophenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1065 2,5-difluoro-4-[1-(3-methyl-4-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-trifluoromethylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1070 2,5-difluoro-4-[1-(3-methyl-4-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-trifluoromethoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(3-cyano-4-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(4-cyano-3-methylphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(3-chloro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;


- 1075 2,5-difluoro-4-[1-(4-chloro-3-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(2-methylpyridin-6-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(2-methylthiazol-4-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1080 2,5-difluoro-4-[1-(4-methylthiazol-2-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1085 2,5-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-pyridinyl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(5-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1090 2,5-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-cyclohexyl-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1095 2,5-difluoro-4-[1-cyclopentyl-3-(difluoromethyl)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-phenyl-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1100 2,5-difluoro-4-[1-(4-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1105 2,5-difluoro-4-[1-(3-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

- 2,5-difluoro-4-[1-(4-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1110 2,5-difluoro-4-[1-(3-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(4-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1115 2,5-difluoro-4-[1-(3-cyanophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(4-cyanophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1120 2,5-difluoro-4-[1-(3-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(4-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1125 2,5-difluoro-4-[1-(3-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(4-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1130 2,5-difluoro-4-[1-(3,4-dichlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(3,4-dibromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1135 2,5-difluoro-4-[1-(3,5-dichlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(3,5-dibromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 1140 2,5-difluoro-4-[1-(3,4-dimethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
- 2,5-difluoro-4-[1-(3,5-dimethylphenyl)-3-(trifluoro)-1H-pyrazol-5-

- yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-methyl-4-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-chlorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
1145 2,5-difluoro-4-[1-(3-methyl-4-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-fluorophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
1150 2,5-difluoro-4-[1-(3-methyl-4-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-methyl-3-bromophenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-methyl-4-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
1155 2,5-difluoro-4-[1-(4-methyl-3-trifluoromethylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-methyl-4-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
1160 2,5-difluoro-4-[1-(4-methyl-3-trifluoromethoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(3-cyano-4-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-cyano-3-methylphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
1165 2,5-difluoro-4-[1-(3-chloro-4-methoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(4-chloro-3-methoxyphenyl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
1170 2,5-difluoro-4-[1-(2-methylpyridin-6-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;
2,5-difluoro-4-[1-(2-methylthiazol-4-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benezenesulfonamide;

- 1175 2,5-difluoro-4-[1-(4-methylthiazol-2-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1180 2,5-difluoro-4-[1-(3-pyridinyl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(5-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;
- 2,5-difluoro-4-[1-(2-methylpyridin-3-yl)-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide;
- 1185 2,5-difluoro-4-[1-cyclohexyl-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide; and
- 2,5-difluoro-4-[1-cyclopentyl-3-(trifluoro)-1H-pyrazol-5-yl]benzenesulfonamide.

32. The compound of Claim 1 having Formula III:



III

wherein:

X is fluoro;

n is an integer greater than or equal to 2;

5 R⁷ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C₁₋₂-alkyl, C₁₋₂-haloalkyl, cyano, carboxyl, C₁₋₂-alkoxycarbonyl, hydroxyl, C₁₋₂-hydroxyalkyl, C₁₋₂-haloalkoxy, amino, C₁₋₂-alkylamino, phenylamino, nitro, C₁₋₂-alkoxy-C₁₋₂-alkyl, C₁₋₂-alkylsulfanyl, halo, C₁₋₂-alkoxy and C₁₋₃-alkylthio;

10 R⁸ is a radical selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, heterocycloxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C₁₋₃-haloalkyl, heterocyclyl, cycloalkenyl, phenyl-C₁₋₃-alkyl, heterocyclyl-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl,

- 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-(C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl, 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
 R^9 is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

33. The compound of Claim 32 wherein:

- R^8 is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, (5- or 6-member ring heterocyclyl)oxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, C_{1-3} -alkylcarbonyl, C_{3-6} -cycloalkyl, phenyl, C_{1-3} -haloalkyl, 5- or 6-member ring 5 heterocyclyl, C_{3-6} -cycloalkenyl, phenyl- C_{1-3} -alkyl, (5- or 6-member ring heterocyclyl)- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxy- C_{1-3} -alkyl, C_{1-3} -alkoxyphenyl- C_{1-3} -alkoxy- C_{1-3} -alkyl, C_{1-3} -alkoxycarbonyl- C_{1-3} -alkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N- 10 phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-phenylamino, N-(phenyl- C_{1-3} -alkyl)amino, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino, N-(C_{1-3} -alkyl)-N-phenylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylamino- C_{1-3} -alkyl, N-phenylamino- C_{1-3} -alkyl, N-phenyl- C_{1-3} -alkylamino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenyl- C_{1-3} -alkylamino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, 15 phenyloxy, phenyl- C_{1-3} -alkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl;
 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

34. The compound of Claim 33 wherein R^7 is optionally substituted cyclohexyl.

35. The compound of Claim 33 wherein R^7 is optionally substituted pyridinyl.

36. The compound of Claim 33 wherein R^7 is optionally substituted phenyl.

37. The compound of Claim 33 wherein R^7 is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.

38. The compound of Claim 33 wherein R^8 is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.


39. The compound of Claim 33 wherein:

R^7 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R^8 is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl,

10 difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenoxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

40. The compound of Claim 39 having Formula IIIA:



IIIA

wherein R^7 , R^8 and R^9 are as defined in Claim 39.

41. The compound of Claim 33 wherein:

R^7 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, C_{1-2} -haloalkyl, C_{1-2} -alkoxy, and C_{1-2} -haloalkoxy; and

5 R^8 is a radical selected from hydrido, halogen, C_{1-2} -alkyl, C_{1-3} -alkoxy, C_{1-3} -alkylcarbonyl, C_{1-3} -haloalkyl, C_{1-3} -hydroxyalkyl, and C_{1-3} -alkoxycarbonyl.


42. The compound of Claim 33 wherein

R^7 is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, iodo and methoxy; and

5 R^8 is a radical selected from hydrido, chloro, fluoro, bromo, cyano, methyl, methoxy,

methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.

43. The compound of Claim 1 having Formula IV:



wherein:

X is fluoro;

n is an integer greater than or equal to 2;

R^{10} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl, C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;

R^{11} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl, heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-(C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl, N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl;

R^{12} is a methyl or amino;

25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

44. The compound of Claim 43 wherein:

R^{11} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, (5- or 6-member ring heterocyclyl)oxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, C_{1-3} -alkylcarbonyl, C_{3-6} -cycloalkyl, phenyl, C_{1-3} -haloalkyl, 5- or 6-member ring
 5 heterocyclyl, C_{3-6} -cycloalkenyl, phenyl- C_{1-3} -alkyl, (5- or 6-member ring heterocyclyl)- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxy- C_{1-3} -alkyl, C_{1-3} -alkoxyphenyl- C_{1-3} -alkoxy- C_{1-3} -alkyl, C_{1-3} -alkoxycarbonyl- C_{1-3} -alkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-
 10 phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-phenylamino, N-(phenyl- C_{1-3} -alkyl)amino, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino, N-(C_{1-3} -alkyl)-N-phenylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylamino- C_{1-3} -alkyl, N-phenylamino- C_{1-3} -alkyl, N-phenyl- C_{1-3} -alkylamino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenyl- C_{1-3} -alkylamino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl,
 15 phenyloxy, phenyl- C_{1-3} -alkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl;

or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

45. The compound of Claim 44 wherein R^{10} is optionally substituted cyclohexyl.

46. The compound of Claim 44 wherein R^{10} is optionally substituted pyridinyl.

47. The compound of Claim 44 wherein R^{10} is optionally substituted phenyl.

48. The compound of Claim 44 wherein R^{10} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino,
 5 phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.

49. The compound of Claim 44 wherein R¹¹ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.


50. The compound of Claim 44 wherein:

R¹⁰ is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R¹¹ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-

phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.


51. The compound of Claim 50 having Formula IVA:



IVA

wherein R^{10} , R^{11} and R^{12} are as defined in Claim 50.

52. The compound of Claim 50 having Formula IVB:



IVB

wherein R^{10} , R^{11} and R^{12} are as defined in Claim 50.

53. The compound of Claim 44 wherein:

R^{10} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, C_{1-2} -haloalkyl, C_{1-2} -alkoxy, and C_{1-2} -haloalkoxy; and


5 R^{11} is a radical selected from hydrido, C_{1-2} -alkyl, C_{1-3} -alkoxy, C_{1-3} -alkylcarbonyl, C_{1-3} -haloalkyl, C_{1-3} -hydroxyalkyl, and C_{1-3} -alkoxycarbonyl.

54. The compound of Claim 44 wherein

R^{10} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, and methoxy; and

- 5 R^{11} is a radical selected from hydrido, methyl, methoxy, methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.

55. The compound of Claim 50 having Formula IVC:



or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

56. The compound of Claim 44 selected from compounds and their pharmaceutically-acceptable salts, tautomers and prodrugs thereof, of the group consisting of

2,6-difluoro-4-[3-phenyl-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-chlorophenyl)-5-fluoromethylisoxazol-4-

5 yl]benzenesulfonamide;

2,6-difluoro-4-[3-(4-chlorophenyl)-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-bromophenyl)-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

10 2,6-difluoro-4-[3-(4-bromophenyl)-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

15 2,6-difluoro-4-[3-(4-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-methylphenyl)-5-fluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(4-methylphenyl)-5-fluoromethylisoxazol-4-

- yl]benezenesulfonamide;
- 20 2,6-difluoro-4-[3-(3-cyanophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(4-cyanophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 25 2,6-difluoro-4-[3-(4-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 30 2,6-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3,4-dichlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3,4-dibromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 35 2,6-difluoro-4-[3-(3,4-difluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3,5-dichlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 40 2,6-difluoro-4-[3-(3,5-dibromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3,5-difluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3,4-dimethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 45 2,6-difluoro-4-[3-(3,5-dimethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,6-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 50 2,6-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

55 2,6-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

60 2,6-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

65 2,6-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

70 2,6-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

75 2,6-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-6-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylthiazol-4-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

80 2,6-difluoro-4-[3-(4-methylthiazol-2-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-

- 85 yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-pyridinyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(5-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
90 yl]benezenesulfonamide;
 2,6-difluoro-4-[3-cyclohexyl-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-cyclopentyl-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-phenyl-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-chloro-5-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
95 yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-fluoro-5-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-chlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
100 2,6-difluoro-4-[3-(4-chlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-bromophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(4-bromophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
105 yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-fluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(4-fluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
110 2,6-difluoro-4-[3-(4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3-bromo-5-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
115 yl]benezenesulfonamide;
 2,6-difluoro-4-[3-(3,4-dichlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,4-dibromophenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

120 2,6-difluoro-4-[3-(3,4-difluorophenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3,5-dichlorophenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

125 2,6-difluoro-4-[3-(3,5-dibromophenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3,5-difluorophenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-chloro-4-fluorophenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

130 2,6-difluoro-4-[3-(3-chloro-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-bromo-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

135 2,6-difluoro-4-[3-(3-fluoro-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3,4-dimethylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

140 2,6-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

145 2,6-difluoro-4-[3-(3-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(4-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benzenesulfonamide;

150 2,6-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

155

2,6-difluoro-4-[3-(3-cyanophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-cyanophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

160 2,6-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

165 2,6-difluoro-4-[3-(2-methylpyridin-6-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylthiazol-4-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methylthiazol-2-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

170 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-pyridinyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

175 2,6-difluoro-4-[3-(5-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

3-phenyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

180 3-(3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

- 185 3-(3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(3-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 190 3-(4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 195 3-(4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(3-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(4-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 200 3-(3-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(4-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 205 3-(3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 210 3-(3,4-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(3,4-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 215 3-(3,5-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(3,5-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

hydroxymethylisoxazole;

3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

220 3-(3,4-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(3,5-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

225 3-(3-methyl-4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(4-methyl-3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(3-methyl-4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

230 3-(4-methyl-3-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(3-methyl-4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

235 3-(4-methyl-3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(3-methyl-4-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(4-methyl-3-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

240 3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

245 3-(3-cyano-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(4-cyano-3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

3-(3-chloro-4-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;

- 250 3-(4-chloro-3-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-(2-methylpyridin-6-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-(2-methylthiazol-4-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
- 255 hydroxymethylisoxazole;
3-(4-methylthiazol-2-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 260 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-(3-pyridinyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-(5-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
- 265 hydroxymethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-cyclohexyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-cyclopentyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 270 3-phenyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 275 3-(3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 280 3-(3-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

- 3-(3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 285 3-(4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 290 3-(4-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(4-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 295 3-(3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 300 3-(3,4-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3,4-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3,4-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 305 3-(3,5-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3,5-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 310 3-(3,4-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3,5-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 315 3-(3-methyl-4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(4-methyl-3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(3-methyl-4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

320 fluoromethylisoxazole;

3-(4-methyl-3-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(3-methyl-4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

325 3-(4-methyl-3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(3-methyl-4-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(4-methyl-3-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

330 fluoromethylisoxazole;

3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

335 3-(3-cyano-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(4-cyano-3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(3-chloro-4-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

340 fluoromethylisoxazole;

3-(4-chloro-3-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(2-methylpyridin-6-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

345 3-(2-methylthiazol-4-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(4-methylthiazol-2-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

- 350 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3-pyridinyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 355 3-(5-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-cyclohexyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-cyclopentyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 360 3-phenyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(3-chloro-5-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(3-fluoro-5-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 365 3-(3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 370 3-(4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 375 3-(4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 380 3-(3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 3-(3-bromo-5-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

difluoromethylisoxazole;

3-(3,4-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

385 3-(3,4-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3,4-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

390 3-(3,5-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3,5-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

395 3-(3-chloro-4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3-chloro-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

400 3-(3-bromo-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3,5-difluoro-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3,4-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

405 3-(4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

410 3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;

- 415 3-(3-cyano-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(4-cyano-3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(3-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
- 420 difluoromethylisoxazole;
3-(4-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(3-chloro-4-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 425 3-(4-chloro-3-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(2-methylpyridin-6-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(2-methylthiazol-4-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
- 430 difluoromethylisoxazole;
3-(4-methylthiazol-2-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 435 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(3-pyridinyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(5-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 440 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-cyclohexyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-cyclopentyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-phenyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 445 3-(3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

- 3-(4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
450 3-(4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
455 3-(3-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-(4-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-(3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
460 methylisoxazole;
3-(4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-(3,4-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,4-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
465 methylisoxazole;
3-(3,4-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,5-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,5-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
470 3-(3,4-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-(3,5-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-(3-methyl-4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
475 methylisoxazole;
3-(4-methyl-3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-(3-methyl-4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
480 3-(4-methyl-3-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

methylisoxazole;

3-(3-methyl-4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

485 3-(4-methyl-3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(3-methyl-4-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(4-methyl-3-trifluoromethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

490 3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

495 3-(3-cyano-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(4-cyano-3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(3-chloro-4-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

500 3-(4-chloro-3-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(2-methylpyridin-6-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

505 3-(2-methylthiazol-4-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(4-methylthiazol-2-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

510 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(3-pyridinyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-(5-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

methylisoxazole;

515 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

methylisoxazole;

3-cyclohexyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

3-cyclopentyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

2,6-difluoro-4-[3-phenyl-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

520 2,6-difluoro-4-[3-(3-chlorophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-chlorophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-bromophenyl)-5-hydroxymethylisoxazol-4-

525 yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-bromophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-fluorophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

530 2,6-difluoro-4-[3-(4-fluorophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methylphenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methylphenyl)-5-hydroxymethylisoxazol-4-

535 yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-cyanophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-cyanophenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

540 2,6-difluoro-4-[3-(3-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-

545 yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,4-dichlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

550 2,6-difluoro-4-[3-(3,4-dibromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,4-difluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

555 2,6-difluoro-4-[3-(3,5-dichlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,5-dibromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,5-difluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

560 2,6-difluoro-4-[3-(3,4-dimethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,5-dimethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

565 2,6-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

570 2,6-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

575 2,6-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

- 580 2,6-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
585 2,6-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
590 2,6-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(2-methylpyridin-6-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(2-methylthiazol-4-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
595 2,6-difluoro-4-[3-(4-methylthiazol-2-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
600 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-pyridinyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(5-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
605 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-phenyl-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-chlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-chlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
610 2,6-difluoro-4-[3-(3-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-fluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

- 2,6-difluoro-4-[3-(4-fluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
615 2,6-difluoro-4-[3-(4-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-cyanophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-cyanophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-trifluoromethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
620 2,6-difluoro-4-[3-(4-trifluoromethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
625 2,6-difluoro-4-[3-(3,4-dichlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3,4-dibromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3,4-difluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3,5-dichlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
630 2,6-difluoro-4-[3-(3,5-dibromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3,5-difluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3,4-dimethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3,5-dimethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
635 2,6-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
640 2,6-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
645

2,6-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

650 2,6-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

655 2,6-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

660 2,6-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-6-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

665 2,6-difluoro-4-[3-(2-methylthiazol-4-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methylthiazol-2-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

670 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-pyridinyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(5-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

675 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-phenyl-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-chlorophenyl)-5-trifluoromethylisoxazol-4-

yl]benezenesulfonamide;

680 2,6-difluoro-4-[3-(4-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

685 2,6-difluoro-4-[3-(4-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

690 2,6-difluoro-4-[3-(3-methylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

695 2,6-difluoro-4-[3-(3-cyanophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-cyanophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

700 2,6-difluoro-4-[3-(4-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

705 2,6-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,4-dichlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,4-dibromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

710 2,6-difluoro-4-[3-(3,4-difluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,5-dichlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

715 2,6-difluoro-4-[3-(3,5-dibromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,5-difluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3,4-dimethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

720 2,6-difluoro-4-[3-(3,5-dimethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

725 2,6-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

730 2,6-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

735 2,6-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

740 2,6-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;

2,6-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-trifluoromethylisoxazol-4-

- 745 yl]benezenesulfonamide;
2,6-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 750 2,6-difluoro-4-[3-(2-methylpyridin-6-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(2-methylthiazol-4-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(4-methylthiazol-2-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 755 2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 760 2,6-difluoro-4-[3-(3-pyridinyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(5-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
2,6-difluoro-4-[3-(2-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 765 2,5-difluoro-4-[3-phenyl-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-chlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-chlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 770 2,5-difluoro-4-[3-(3-bromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-bromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
- 775 2,5-difluoro-4-[3-(4-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

780 2,5-difluoro-4-[3-(4-methylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-cyanophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

785 2,5-difluoro-4-[3-(4-cyanophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

790 2,5-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

795 2,5-difluoro-4-[3-(3,4-dichlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-dibromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide

2,5-difluoro-4-[3-(3,4-difluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

800 2,5-difluoro-4-[3-(3,5-dichlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,5-dibromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

805 2,5-difluoro-4-[3-(3,5-difluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-dimethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,5-dimethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

810 2,5-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-fluoromethylisoxazol-4-

yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-fluoromethylisoxazol-4-

815 yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

820 2,5-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

825 2,5-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

830 2,5-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

835 2,5-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(2-methylpyridin-6-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

840 2,5-difluoro-4-[3-(2-methylthiazol-4-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methylthiazol-2-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;

- 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
845 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-pyridinyl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(5-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
850 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-cyclohexyl-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-cyclopentyl-5-fluoromethylisoxazol-4-yl]benezenesulfonamide;
855 2,5-difluoro-4-[3-phenyl-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-chloro-5-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-fluoro-5-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
860 2,5-difluoro-4-[3-(3-chlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-chlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-bromophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
865 2,5-difluoro-4-[3-(4-bromophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-fluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
870 2,5-difluoro-4-[3-(4-fluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
875 2,5-difluoro-4-[3-(3-bromo-5-methylphenyl)-5-difluoromethylisoxazol-4-

yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-dichlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

880 2,5-difluoro-4-[3-(3,4-dibromophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-difluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

885 2,5-difluoro-4-[3-(3,5-dichlorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,5-dibromophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,5-difluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

890 2,5-difluoro-4-[3-(3-chloro-4-fluorophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-chloro-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

895 2,5-difluoro-4-[3-(3-bromo-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-fluoro-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-dimethylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

900 2,5-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

905 2,5-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;

- 910 2,5-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
915 2,5-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-cyanophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
920 2,5-difluoro-4-[3-(4-cyanophenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
925 2,5-difluoro-4-[3-(2-methylpyridin-6-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(2-methylthiazol-4-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
930 2,5-difluoro-4-[3-(4-methylthiazol-2-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
935 2,5-difluoro-4-[3-(3-pyridinyl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(5-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-difluoromethylisoxazol-4-yl]benezenesulfonamide;
940 3-phenyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
3-(3-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-

- hydroxymethylisoxazole;
3-(4-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 945 hydroxymethylisoxazole;
3-(3-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(4-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
- 950 3-(3-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(4-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(3-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 955 hydroxymethylisoxazole;
3-(4-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(3-cyanophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
- 960 3-(4-cyanophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(3-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(4-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 965 hydroxymethylisoxazole;
3-(3-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(4-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
- 970 3-(3,4-dichlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(3,4-dibromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
hydroxymethylisoxazole;
3-(3,4-difluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 975 hydroxymethylisoxazole;

3-(3,5-dichlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(3,5-dibromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

980 3-(3,5-difluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(3,4-dimethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

985 3-(3,5-dimethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(3-methyl-4-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(4-methyl-3-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

990 3-(3-methyl-4-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(4-methyl-3-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

995 3-(3-methyl-4-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(4-methyl-3-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(3-methyl-4-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

1000 3-(4-methyl-3-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

1005 3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(3-cyano-4-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;

3-(4-cyano-3-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-

- hydroxymethylisoxazole;
- 1010 3-(3-chloro-4-methoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(4-chloro-3-methoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(2-methylpyridin-6-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1015 hydroxymethylisoxazole;
- 3-(2-methylthiazol-4-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(4-methylthiazol-2-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 1020 3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(3-pyridinyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1025 hydroxymethylisoxazole;
- 3-(5-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 1030 3-cyclohexyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-cyclopentyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-hydroxymethylisoxazole;
- 3-phenyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1035 3-(4-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(3-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 3-(4-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1040 fluoromethylisoxazole;
- 3-(3-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-

fluoromethylisoxazole;

3-(4-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

1045 3-(3-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(4-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

1050 3-(3-cyanophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(4-cyanophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

1055 3-(4-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

1060 3-(4-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3,4-dichlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3,4-dibromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

1065 3-(3,4-difluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3,5-dichlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

1070 3-(3,5-dibromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3,6-difluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

3-(3,4-dimethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;

- 1075 3-(3,5-dimethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(3-methyl-4-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-methyl-3-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1080 3-(3-methyl-4-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-methyl-3-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1085 3-(3-methyl-4-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-methyl-3-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(3-methyl-4-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1090 3-(4-methyl-3-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1095 3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(3-cyano-4-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-cyano-3-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1100 3-(3-chloro-4-methoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(4-chloro-3-methoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
- 1105 3-(2-methylpyridin-6-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(2-methylthiazol-4-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-

- fluoromethylisoxazole;
3-(4-methylthiazol-2-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1110 fluoromethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
fluoromethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
fluoromethylisoxazole;
- 1115 3-(3-pyridinyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-(5-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
fluoromethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
fluoromethylisoxazole;
- 1120 3-cyclohexyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-cyclopentyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-fluoromethylisoxazole;
3-phenyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(3-chloro-5-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
- 1125 3-(3-fluoro-5-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
3-(3-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
3-(4-chlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1130 difluoromethylisoxazole;
3-(3-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
3-(4-bromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
- 1135 3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
3-(4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
difluoromethylisoxazole;
3-(4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1140 difluoromethylisoxazole;

3-(3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3-bromo-5-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

1145 3-(3,4-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3,4-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

1150 3-(3,4-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3,5-dichlorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3,5-dibromophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

1155 3-(3,5-difluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3-chloro-4-fluorophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

1160 3-(3-chloro-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3-bromo-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3,5-difluoro-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

1165 3-(3,4-dimethylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

1170 3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;

3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-

- 1175 difluoromethylisoxazole;
3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(3-cyano-4-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(4-cyano-3-methylphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 1180 3-(3-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(4-cyanophenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 1185 3-(3-chloro-4-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(4-chloro-3-methoxyphenyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(2-methylpyridin-6-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 1190 3-(2-methylthiazol-4-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(4-methylthiazol-2-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 1195 3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(3-pyridinyl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 1200 3-(5-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-cyclohexyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
- 1205 3-cyclopentyl-4-[3,5-difluoro-4-(methylsulfonyl)phenyl]-5-difluoromethylisoxazole;
3-phenyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

- 1210 3-(3-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1215 3-(3-cyanophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-cyanophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1220 3-(3-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1225 3-(3,4-dichlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,4-dibromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,4-difluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,5-dichlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,5-dibromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1230 3-(3,6-difluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,4-dimethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3,5-dimethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1235 3-(3-methyl-4-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-methyl-3-chlorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-methyl-4-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-

- 1240 methylisoxazole;
3-(4-methyl-3-fluorophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-methyl-4-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1245 3-(4-methyl-3-bromophenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-methyl-4-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-methyl-3-trifluoromethylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1250 methylisoxazole;
3-(3-methyl-4-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-methyl-3-trifluoromethoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1255 3-(3-cyano-4-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-cyano-3-methylphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(3-chloro-4-methoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1260 methylisoxazole;
3-(4-chloro-3-methoxyphenyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(2-methylpyridin-6-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1265 3-(2-methylthiazol-4-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(4-methylthiazol-2-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1270 methylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;

- 3-(3-pyridinyl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-(5-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
- 1275 methylisoxazole;
3-(2-methylpyridin-3-yl)-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-
methylisoxazole;
3-cyclohexyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
3-cyclopentyl-4-[3,6-difluoro-4-(methylsulfonyl)phenyl]-5-methylisoxazole;
- 1280 2,5-difluoro-4-[3-phenyl-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-chlorophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-chlorophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
- 1285 2,5-difluoro-4-[3-(3-bromophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-bromophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-fluorophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
- 1290 2,5-difluoro-4-[3-(4-fluorophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-methylphenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
- 1295 2,5-difluoro-4-[3-(4-methylphenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-cyanophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-cyanophenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
- 1300 2,5-difluoro-4-[3-(3-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-
yl]benezenesulfonamide;
- 1305 2,5-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-

yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

1310 2,5-difluoro-4-[3-(3,4-dichlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-dibromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-difluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

1315 2,5-difluoro-4-[3-(3,5-dichlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,5-dibromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

1320 2,5-difluoro-4-[3-(3,5-difluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,4-dimethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3,5-dimethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

1325 2,5-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

1330 2,5-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

1335 2,5-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;

2,5-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide

- 1340 2,5-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 1345 2,5-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 1350 2,5-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(2-methylpyridin-6-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 1355 2,5-difluoro-4-[3-(2-methylthiazol-4-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-methylthiazol-2-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 1360 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-pyridinyl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(5-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 1365 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-hydroxymethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-phenyl-5-methylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-chlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
- 1370 2,5-difluoro-4-[3-(4-chlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;

- 2,5-difluoro-4-[3-(4-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-fluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-fluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1375 2,5-difluoro-4-[3-(3-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-cyanophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-cyanophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-trifluoromethylphenyl)-5-methylisoxazol-4-
1380 yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-trifluoromethylphenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;
1385 2,5-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,4-dichlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,4-dibromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,4-difluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1390 2,5-difluoro-4-[3-(3,5-dichlorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,5-dibromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,5-difluorophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,4-dimethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3,5-dimethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1395 2,5-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-methylisoxazol-4-
1400 yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-methylisoxazol-4-
yl]benezenesulfonamide;


- 1405 2,5-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1410 2,5-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1415 2,5-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1420 2,5-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(2-methylpyridin-6-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1425 2,5-difluoro-4-[3-(2-methylthiazol-4-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(4-methylthiazol-2-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1430 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(3-pyridinyl)-5-methylisoxazol-4-yl]benezenesulfonamide;
2,5-difluoro-4-[3-(5-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;
1435 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-methylisoxazol-4-yl]benezenesulfonamide;

- 2,5-difluoro-4-[3-phenyl-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1440 2,5-difluoro-4-[3-(4-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1445 2,5-difluoro-4-[3-(4-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1450 2,5-difluoro-4-[3-(4-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3-methylphenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(4-methylphenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1455 2,5-difluoro-4-[3-(3-cyanophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(4-cyanophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1460 2,5-difluoro-4-[3-(4-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1465 2,5-difluoro-4-[3-(4-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3,4-dichlorophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
2,5-difluoro-4-[3-(3,4-dibromophenyl)-5-trifluoromethylisoxazol-4-yl]benzenesulfonamide;
1470

- 2,5-difluoro-4-[3-(3,4-difluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3,5-dichlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1475 2,5-difluoro-4-[3-(3,5-dibromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3,5-difluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1480 2,5-difluoro-4-[3-(3,4-dimethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3,5-dimethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-methyl-4-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1485 2,5-difluoro-4-[3-(4-methyl-3-chlorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-methyl-4-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-methyl-3-fluorophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1490 2,5-difluoro-4-[3-(3-methyl-4-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-methyl-3-bromophenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1495 2,5-difluoro-4-[3-(3-methyl-4-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-methyl-3-trifluoromethylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-methyl-4-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1500 2,5-difluoro-4-[3-(4-methyl-3-trifluoromethoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-cyano-4-methylphenyl)-5-trifluoromethylisoxazol-4-

- yl]benezenesulfonamide;
- 1505 2,5-difluoro-4-[3-(4-cyano-3-methylphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(3-chloro-4-methoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(4-chloro-3-methoxyphenyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1510 2,5-difluoro-4-[3-(2-methylpyridin-6-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(2-methylthiazol-4-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1515 2,5-difluoro-4-[3-(4-methylthiazol-2-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 1520 2,5-difluoro-4-[3-(3-pyridinyl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide;
- 2,5-difluoro-4-[3-(5-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide; and
- 2,5-difluoro-4-[3-(2-methylpyridin-3-yl)-5-trifluoromethylisoxazol-4-yl]benezenesulfonamide.
- 1525

57. The compound of Claim 1 having Formula V:



V

wherein:

X is fluoro;

n is an integer greater than or equal to 2;

5 R^{13} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl, C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;

10 R^{14} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl, heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-(C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl, 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and

R^{15} is methyl or amino;

25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof, provided that when R^{13} is 4-bromophenyl, R^{14} is not hydrogen.

58. The compound of Claim 57 wherein:

R^{14} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, (5- or 6-member ring heterocyclyl)oxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, C_{1-3} -alkylcarbonyl, C_{3-6} -cycloalkyl, phenyl, C_{1-3} -haloalkyl, 5- or 6-member ring 5 heterocyclyl, C_{3-6} -cycloalkenyl, phenyl- C_{1-3} -alkyl, (5- or 6-member ring heterocyclyl)- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxy- C_{1-3} -alkyl, C_{1-3} -alkoxyphenyl- C_{1-3} -alkoxy- C_{1-3} -alkyl, C_{1-3} -alkoxycarbonyl- C_{1-3} -alkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-

- 10 phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-phenylamino, N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-phenylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl,
15 phenyloxy, phenyl-C₁₋₃-alkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl;

or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

59. The compound of Claim 58 wherein R¹³ is optionally substituted cyclohexyl.

60. The compound of Claim 58 wherein R¹³ is optionally substituted pyridinyl.

61. The compound of Claim 58 wherein R¹³ is optionally substituted phenyl.

62. The compound of Claim 58 wherein R¹³ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino,
5 phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.

63. The compound of Claim 58 wherein R¹⁴ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl,
5 methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl,


N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

64. The compound of Claim 58 wherein:

R^{13} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R^{14} is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.


65. The compound of Claim 64 having Formula VA:



VA

wherein R^{13} , R^{14} and R^{15} are as defined in Claim 64.

66. The compound of Claim 64 having Formula VB:



VB

wherein R^{13} , R^{14} and R^{15} are as defined in Claim 64.

67. The compound of Claim 58 wherein:

R^{13} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, C_{1-2} -haloalkyl, C_{1-2} -alkoxy, and C_{1-2} -haloalkoxy; and


5 R^{14} is a radical selected from hydrido, C_{1-2} -alkyl, C_{1-3} -alkoxy, C_{1-3} -alkylcarbonyl, C_{1-3} -haloalkyl, C_{1-3} -hydroxyalkyl, and C_{1-3} -alkoxycarbonyl.

68. The compound of Claim 58 wherein

R^{13} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, and methoxy; and


5 R^{14} is a radical selected from hydrido, methyl, methoxy, methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.

69. The compound of Claim 64 having Formula VC:



or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

70. The compound of Claim 1 having Formula VI:



wherein:

X is fluoro;

n is an integer greater than or equal to 2;

5 R¹⁶ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C₁₋₂-alkyl, C₁₋₂-haloalkyl, cyano, carboxyl, C₁₋₂-alkoxycarbonyl, hydroxyl, C₁₋₂-hydroxyalkyl, C₁₋₂-haloalkoxy, amino, C₁₋₂-alkylamino, phenylamino, nitro, C₁₋₂-alkoxy-C₁₋₂-alkyl, C₁₋₂-alkylsulfinyl, halo, C₁₋₂-alkoxy and C₁₋₃-alkylthio;

10 R¹⁷ is a radical selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, heterocycloxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C₁₋₃-haloalkyl, heterocyclyl, cycloalkenyl, phenyl-C₁₋₃-alkyl, heterocyclyl-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl,

- phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl,
 15 phenylthio-C₁₋₃-alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxyalkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-arylamino, N-aralkylamino, N-(C₁₋₃-alkyl)-N-aralkylamino, N-(C₁₋₃-alkyl)-N-arylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylaminoalkyl, N-phenylamino-C₁₋₃-alkyl,
 20 N-phenyl-C₁₋₃-alkylaminoalkyl, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl; and
 R¹⁸ is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

71. The compound of Claim 70 wherein:

- R¹⁷ is a radical selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, (5- or 6-member ring heterocycl)oxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, C₁₋₃-alkylcarbonyl, C₃₋₆-cycloalkyl, phenyl, C₁₋₃-haloalkyl, 5- or 6-member ring
 5 heterocycl, C₃₋₆-cycloalkenyl, phenyl-C₁₋₃-alkyl, (5- or 6-member ring heterocycl)-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxyalkyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl, phenylthio-C₁₋₃-alkyl, phenyloxy-C₁₋₃-alkyl, C₁₋₃-alkoxyphenyl-C₁₋₃-alkoxy-C₁₋₃-alkyl, C₁₋₃-alkoxyalkyl-C₁₋₃-alkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-
 10 phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-phenylamino, N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-phenylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl,
 15 phenyloxy, phenyl-C₁₋₃-alkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl;
 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

72. The compound of Claim 71 wherein R¹⁶ is optionally substituted cyclohexyl.

73. The compound of Claim 71 wherein R¹⁶ is optionally substituted pyridinyl.

74. The compound of Claim 71 wherein R¹⁶ is optionally substituted phenyl.

75. The compound of Claim 71 wherein R¹⁶ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.

76. The compound of Claim 71 wherein R¹⁷ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.


77. The compound of Claim 71 wherein:

R¹⁶ is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R¹⁷ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl,

10 difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl,
ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl,
phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl,
aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-
phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-
phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-
15 phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-
phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-
phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio,
methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-
phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

78. The compound of Claim 77 having Formula VIA:



wherein R^{16} , R^{17} and R^{18} are as defined in Claim 77.

79. The compound of Claim 71 wherein:

R^{16} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, C_{1-2} -haloalkyl, C_{1-2} -alkoxy, and C_{1-2} -haloalkoxy; and

5 R^{17} is a radical selected from hydrido, C_{1-2} -alkyl, C_{1-3} -alkoxy, C_{1-3} -alkylcarbonyl, C_{1-3} -haloalkyl, C_{1-3} -hydroxyalkyl, and C_{1-3} -alkoxycarbonyl.


80. The compound of Claim 71 wherein

R^{16} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally

substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, and methoxy; and


5 R^{17} is a radical selected from hydrido, methyl, methoxy, methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.

81. The compound of Claim 77 having Formula VIB:



or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

82. The compound of Claim 1 having Formula VII:



wherein:

X is fluoro;

n is an integer greater than or equal to 2;

5 R^{19} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl, C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -

alkylsulfinyl, halo, C₁₋₂-alkoxy and C₁₋₃-alkylthio;

10 R²⁰ is represents one or more radicals selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, heterocycloxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C₁₋₃-haloalkyl, heterocyclyl, cycloalkenyl, phenyl-C₁₋₃-alkyl, heterocyclyl-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-
15 C₁₋₃-alkyl, phenylthio-C₁₋₃-alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxyphenylalkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-arylamino, N-aralkylamino, N-(C₁₋₃-alkyl)-N-aralkylamino, N-(C₁₋₃-alkyl)-N-arylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylaminoalkyl, N-
20 phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylaminoalkyl, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl; and

25 R²¹ is methyl or amino;
or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

83. The compound of Claim 82 wherein:


R²⁰ is a radical selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, (5- or 6-member ring heterocyclyl)oxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, C₁₋₃-alkylcarbonyl, C₃₋₆-cycloalkyl, phenyl, C₁₋₃-haloalkyl, 5- or 6-member ring
5 heterocyclyl, C₃₋₆-cycloalkenyl, phenyl-C₁₋₃-alkyl, (5- or 6-member ring heterocyclyl)-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl, phenylthio-C₁₋₃-alkyl, phenyloxy-C₁₋₃-alkyl, C₁₋₃-alkoxyphenyl-C₁₋₃-alkoxy-C₁₋₃-alkyl, C₁₋₃-alkoxycarbonyl-C₁₋₃-alkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-
10 phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-phenylamino, N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino, N-(C₁₋₃-alkyl)-N-phenylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylamino-C₁₋₃-alkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenyl-C₁₋₃-alkylamino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl,

- 15 phenyloxy, phenyl-C₁₋₃-alkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-phenylaminosulfonyl;
or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.
84. The compound of Claim 83 wherein R¹⁹ is optionally substituted cyclohexyl.
85. The compound of Claim 83 wherein R¹⁹ is optionally substituted pyridinyl.
86. The compound of Claim 83 wherein R¹⁹ is optionally substituted phenyl.
87. The compound of Claim 83 wherein R¹⁹ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino,
5 phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio.
88. The compound of Claim 83 wherein R²⁰ is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl,
5 methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-
10 phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.
89. The compound of Claim 83 wherein:

R^{19} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, methylamino, phenylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy and methylthio; and

R^{20} is a radical selected from hydrido, fluoro, chloro, bromo, methyl, oxo, cyano, carboxyl, cyanomethyl, methoxy, methylthio, methylcarbonyl, phenyl, trifluoromethyl, difluoromethyl, phenylmethyl, methylthiomethyl, hydroxymethyl, methoxycarbonyl, ethoxycarbonyl, phenylcarbonyl, phenylmethylcarbonyl, methoxymethyl, phenylthiomethyl, phenyloxymethyl, methoxyphenylmethoxymethyl, methoxycarbonylmethyl, aminocarbonyl, aminocarbonylmethyl, methylaminocarbonyl, N-phenylaminocarbonyl, N-methyl-N-phenylaminocarbonyl, methylaminocarbonylmethyl, carboxymethyl, methylamino, N-phenylamino, N-(phenylmethyl)amino, N-methyl-N-(phenylmethyl)amino, N-methyl-N-phenylamino, aminomethyl, methylaminomethyl, N-phenylaminomethyl, N-phenylmethylaminomethyl, N-methyl-N-phenylmethylaminomethyl, N-methyl-N-phenylaminomethyl, phenyloxy, phenylmethoxy, phenylthio, phenylmethylthio, methylsulfinyl, methylsulfonyl, aminosulfonyl, methylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-methyl-N-phenylaminosulfonyl.

90. The compound of Claim 89 having Formula VIIA:



wherein R^{19} , R^{20} and R^{21} are as defined in Claim 89.

91. The compound of Claim 83 wherein:

R^{19} is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from halo, cyano, C_{1-2} -alkyl, C_{1-2} -

haloalkyl, C₁₋₂-alkoxy, and C₁₋₂-haloalkoxy; and


- 5 R²⁰ is a radical selected from hydrido, C₁₋₂-alkyl, C₁₋₃-alkoxy, C₁₋₃-alkylcarbonyl, C₁₋₃-haloalkyl, C₁₋₃-hydroxyalkyl, and C₁₋₃-alkoxycarbonyl.

92. The compound of Claim 83 wherein

R¹⁹ is cyclohexyl or phenyl, wherein said cyclohexyl and phenyl may be optionally substituted with one, two or three radicals selected from methyl, difluoromethyl, trifluoromethyl, trifluoromethoxy, cyano, fluoro, chloro, bromo, and methoxy; and

- 5 R²⁰ is a radical selected from hydrido, methyl, methoxy, methylcarbonyl, trifluoromethyl, difluoromethyl, hydroxymethyl, and methoxycarbonyl.


93. The compound of Claim 89 having Formula VIIB:



or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

94. A compound of claim 1 wherein R² is amino, the compound is a prodrug, and R² is substituted with an acyl group.

95. The compound of claim 94 wherein R² is



96. A pharmaceutical composition comprising a therapeutically-effective amount of a

compound of Claim 1.

97. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of Claim 17.

98. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of Claim 32.

99. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of Claim 43.


100. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of Claim 57.

101. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of Claim 70.

102. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of Claim 82.

103. A pharmaceutical composition comprising a therapeutically-effective amount of a compound of claim 94.

104. A method of treating inflammation, said method comprising administering to the subject having or susceptible to such inflammation or inflammation-associated disorder, a therapeutically-effective amount of a compound of Formula I



wherein:

A is a 5- or 6-member ring substituent selected from partially saturated or unsaturated heterocyclic and carbocyclic rings;

X is fluoro;

n is an integer greater than or equal to 2;

R¹ is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C₁₋₂-alkyl, C₁₋₂-haloalkyl, cyano, carboxyl, C₁₋₂-alkoxycarbonyl, hydroxyl, C₁₋₂-hydroxyalkyl, C₁₋₂-haloalkoxy, amino, C₁₋₂-alkylamino, phenylamino, nitro, C₁₋₂-alkoxy-C₁₋₂-alkyl, C₁₋₂-alkylsulfinyl, halo, C₁₋₂-alkoxy and C₁₋₃-alkylthio;

R² is methyl or amino; and


R³ represents one or more radicals selected from hydrido, halo, C₁₋₂-alkyl, C₂₋₃-alkenyl, C₂₋₃-alkynyl, oxo, cyano, carboxyl, cyano-C₁₋₃-alkyl, heterocycloxy, C₁₋₃-alkoxy, C₁₋₃-alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C₁₋₃-haloalkyl, heterocyclyl, cycloalkenyl, phenyl-C₁₋₃-alkyl, heterocyclyl-C₁₋₃-alkyl, C₁₋₃-alkylthio-C₁₋₃-alkyl, C₁₋₃-hydroxyalkyl, C₁₋₃-alkoxycarbonyl, phenylcarbonyl, phenyl-C₁₋₃-alkylcarbonyl, phenyl-C₂₋₃-alkenyl, C₁₋₃-alkoxy-C₁₋₃-alkyl, phenylthio-C₁₋₃-alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxyalkyl, aminocarbonyl, aminocarbonyl-C₁₋₃-alkyl, C₁₋₃-alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C₁₋₃-alkyl)-N-phenylaminocarbonyl, C₁₋₃-alkylaminocarbonyl-C₁₋₃-alkyl, carboxy-C₁₋₃-alkyl, C₁₋₃-alkylamino, N-arylamino, N-aralkylamino, N-(C₁₋₃-alkyl)-N-aralkylamino, N-(C₁₋₃-alkyl)-N-arylamino, amino-C₁₋₃-alkyl, C₁₋₃-alkylaminoalkyl, N-phenylamino-C₁₋₃-alkyl, N-phenyl-C₁₋₃-alkylaminoalkyl, N-(C₁₋₃-alkyl)-N-(phenyl-C₁₋₃-alkyl)amino-C₁₋₃-alkyl, N-(C₁₋₃-alkyl)-N-phenylamino-C₁₋₃-alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl-C₁₋₃-alkylthio, C₁₋₃-alkylsulfinyl, C₁₋₃-alkylsulfonyl, aminosulfonyl, C₁₋₃-alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C₁₋₃-alkyl)-N-

phenylaminosulfonyl;


30 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

105. A method of claim 104 wherein R^2 is amino, the compound is a prodrug, and R^2 is substituted with an acyl group.

106. A method of claim 105 wherein R^2 is



107. The method of Claim 104 wherein the compound corresponds to Formula II:



II

wherein:

X is fluoro;


n is an integer greater than or equal to 2;

5 R^4 is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl, C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;

10 R^5 is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl, heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl,

- phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl,
 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl,
 aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl,
 N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -
 alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-
 (C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl,
 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-
 (C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -
 alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-
 phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
 R^6 is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof;
 provided that when R^1 is 4-bromophenyl and R^2 is methyl, R^3 is not hydrogen, cyano,
 trifluoromethyl or ethoxycarbonyl.

108. The method of Claim 104 wherein the compound corresponds to Formula III:



III

wherein:


X is fluoro;

n is an integer greater than or equal to 2;

- 5 R^7 is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and phenyl
 may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl, C_{1-2} -
 haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -
 haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -
 alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;
 10 R^8 is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo,
 cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl,
 cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl,
 heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl,

- phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl,
 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl,
 aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl,
 N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -
 alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-
 (C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl,
 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-
 (C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -
 alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-
 phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
 R^9 is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

109. The method of Claim 104 wherein the compound corresponds to Formula IV:



wherein:


X is fluoro;

n is an integer greater than or equal to 2;

- 5 R^{10} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and
 phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl,
 C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -
 haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -
 alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;
 10 R^{11} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo,
 cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl,
 cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl,
 heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl,

- phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl,
 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl,
 aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl,
 N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -
 alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-
 (C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl,
 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-
 (C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -
 alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-
 phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
 R^{12} is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

110. The method of Claim 104 wherein the compound corresponds to Formula V:



wherein:


X is fluoro;

n is an integer greater than or equal to 2;

- 5 R^{13} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and
 phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl,
 C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -
 haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -
 alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;
 10 R^{14} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo,
 cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl,
 cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl,
 heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl,

- phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl,
 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl,
 aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl,
 N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -
 alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-
 (C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl,
 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-
 (C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -
 alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-
 phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
 R^{15} is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

111. The method of Claim 104 wherein the compound corresponds to Formula VI:



wherein:


X is fluoro;

n is an integer greater than or equal to 2;

- 5 R^{16} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and
 phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl,
 C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -
 haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -
 alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;
 10 R^{17} is a radical selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -alkenyl, C_{2-3} -alkynyl, oxo,
 cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy, C_{1-3} -alkylthio, alkylcarbonyl,
 cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl, phenyl- C_{1-3} -alkyl,
 heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl,

- phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy- C_{1-3} -alkyl,
 15 phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl,
 aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl,
 N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -
 alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-
 (C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-phenylamino- C_{1-3} -alkyl,
 20 N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-
 (C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -
 alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-
 phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
 R^{18} is methyl or amino;
 25 or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

112. The method of Claim 104 wherein the compound corresponds to Formula VII:



VII

wherein:

X is fluoro;

n is an integer greater than or equal to 2;

- 5 R^{19} is cyclohexyl, pyridinyl, or phenyl, wherein said cyclohexyl, pyridinyl, and
 phenyl may be optionally substituted with one, two or three radicals selected from C_{1-2} -alkyl,
 C_{1-2} -haloalkyl, cyano, carboxyl, C_{1-2} -alkoxycarbonyl, hydroxyl, C_{1-2} -hydroxyalkyl, C_{1-2} -
 haloalkoxy, amino, C_{1-2} -alkylamino, phenylamino, nitro, C_{1-2} -alkoxy- C_{1-2} -alkyl, C_{1-2} -
 alkylsulfinyl, halo, C_{1-2} -alkoxy and C_{1-3} -alkylthio;
 10 R^{20} is represents one or more radicals selected from hydrido, halo, C_{1-2} -alkyl, C_{2-3} -
 alkenyl, C_{2-3} -alkynyl, oxo, cyano, carboxyl, cyano- C_{1-3} -alkyl, heterocycloxy, C_{1-3} -alkoxy,
 C_{1-3} -alkylthio, alkylcarbonyl, cycloalkyl, phenyl, C_{1-3} -haloalkyl, heterocyclyl, cycloalkenyl,

- phenyl- C_{1-3} -alkyl, heterocyclyl- C_{1-3} -alkyl, C_{1-3} -alkylthio- C_{1-3} -alkyl, C_{1-3} -hydroxyalkyl, C_{1-3} -alkoxycarbonyl, phenylcarbonyl, phenyl- C_{1-3} -alkylcarbonyl, phenyl- C_{2-3} -alkenyl, C_{1-3} -alkoxy-
15 C_{1-3} -alkyl, phenylthio- C_{1-3} -alkyl, phenyloxyalkyl, alkoxyphenylalkoxyalkyl, alkoxycarbonylalkyl, aminocarbonyl, aminocarbonyl- C_{1-3} -alkyl, C_{1-3} -alkylaminocarbonyl, N-phenylaminocarbonyl, N-(C_{1-3} -alkyl)-N-phenylaminocarbonyl, C_{1-3} -alkylaminocarbonyl- C_{1-3} -alkyl, carboxy- C_{1-3} -alkyl, C_{1-3} -alkylamino, N-arylamino, N-aralkylamino, N-(C_{1-3} -alkyl)-N-aralkylamino, N-(C_{1-3} -alkyl)-N-arylamino, amino- C_{1-3} -alkyl, C_{1-3} -alkylaminoalkyl, N-
20 phenylamino- C_{1-3} -alkyl, N-phenyl- C_{1-3} -alkylaminoalkyl, N-(C_{1-3} -alkyl)-N-(phenyl- C_{1-3} -alkyl)amino- C_{1-3} -alkyl, N-(C_{1-3} -alkyl)-N-phenylamino- C_{1-3} -alkyl, phenyloxy, phenylalkoxy, phenylthio, phenyl- C_{1-3} -alkylthio, C_{1-3} -alkylsulfinyl, C_{1-3} -alkylsulfonyl, aminosulfonyl, C_{1-3} -alkylaminosulfonyl, N-phenylaminosulfonyl, phenylsulfonyl, and N-(C_{1-3} -alkyl)-N-phenylaminosulfonyl; and
25 R^{21} is methyl or amino;
or a pharmaceutically-acceptable salt, tautomer or prodrug thereof.

113. The method of Claim 104 for use in the treatment of inflammation.

114. The method of Claim 104 for use in the treatment of an inflammation-associated disorder.

115. The method of Claim 114 wherein the inflammation-associated disorder is arthritis.

116. The method of Claim 114 wherein the inflammation-associated disorder is pain.

117. The method of Claim 114 wherein the inflammation-associated disorder is fever.

118. A method of treating cancer, said method comprising administering to the subject having or susceptible to such cancer, a therapeutically-effective amount of a compound of Claim 104.

119. The method of Claim 118 wherein the compound is administered intravenously.

120. The method of Claim 118 wherein the compound is administered intramuscularly.